

Solid carbide 7° helix reamer

ดอกรีมเมอร์คาร์ไบด์ฟันเฉียง

รุ่นมาตรฐาน
Standard

R301

Dc H7	Lc mm	L mm	d mm	Z teeth	Stock
2.0	11	49	2.0	4	●
2.5	14	57	2.5	4	●
3.0	15	61	3.0	4	●
3.5	18	70	3.5	4	●
4.0	19	75	4.0	4	●
4.5	21	80	4.5	4	●
5.0	23	86	5.0	6	●
5.5	26	93	5.5	6	●
6.0	26	93	6.0	6	●
6.5	28	101	6.5	6	○
7.0	31	109	7.0	6	●
7.5	31	109	7.5	6	○
8.0	33	117	8.0	6	●
8.5	33	117	8.5	6	●
9.0	36	125	9.0	6	●
9.5	36	125	9.5	6	○
10.0	38	133	10.0	6	●
10.5	38	133	10.0	6	○
11.0	41	142	10.0	6	●
11.5	41	142	10.0	6	○
12.0	44	151	10.0	6	●
12.5	44	151	10.0	6	○
13.0	44	151	10.0	6	●
13.5	47	160	12.5	6	○
14.0	47	160	12.5	6	●
14.5	50	162	12.5	6	○
15.0	50	162	12.5	6	●
15.5	52	170	12.5	6	○
16.0	52	170	12.5	6	●
17.0	54	175	14.0	6	○
18.0	56	182	14.0	6	●
19.0	58	189	16.0	6	○
20.0	60	195	16.0	6	●




Solid carbide straight reamer

ดอกรีมเมอร์คาร์ไบด์ฟันตรง

รุ่นมาตรฐาน
Standard

R300

Dc H7	Lc mm	L mm	d mm	Z teeth	Stock
2.0	11	49	2.0	4	●
2.5	14	57	2.5	4	○
3.0	15	61	3.0	4	●
3.5	18	70	3.5	4	○
4.0	19	75	4.0	4	●
4.5	21	80	4.5	4	○
5.0	23	86	5.0	6	○
6.0	26	93	6.0	6	●
7.0	31	109	7.0	6	○
8.0	33	117	8.0	6	●
9.0	36	125	9.0	6	○
10.0	38	133	10.0	6	●
11.0	41	142	10.0	6	○
12.0	44	151	10.0	6	●
13.0	44	151	10.0	6	○
14.0	47	160	12.5	6	○
15.0	50	162	12.5	6	○
16.0	52	170	12.5	6	○
18.0	56	182	14.0	6	○
20.0	60	195	16.0	6	○



- สต็อกสินค้าพร้อมส่ง
- สต็อกในต่างประเทศ

※2.0-9.5 Solid Carbide คาร์ไบด์ทั้งตัว
2.0-9.5 ソリッド超硬エンドミル

※10.0-20.0 Carbide Tipped คาร์ไบด์เชื่อมคม
10.0-20.0 ロー付け超硬エンドミル

รุ่นยาว
Long length

R302

Dc H7	Lc mm	L mm	d mm	Z teeth	
3.0	15	100	3.0	4	●
3.5	18	112	3.5	4	○
4.0	19	119	4.0	4	●
4.5	21	126	4.5	4	○
5.0	23	132	5.0	6	●
6.0	26	139	6.0	6	●
7.0	31	156	7.0	6	●
8.0	33	165	8.0	6	●
9.0	36	175	9.0	6	●
10.0	38	184	10.0	6	○
11.0	41	195	10.0	6	○
12.0	44	205	10.0	6	●
13.0	44	205	10.0	6	○
14.0	47	214	12.5	6	○
15.0	50	220	12.5	6	○
16.0	52	227	12.5	6	○
17.0	54	235	14.0	6	○
18.0	56	241	14.0	6	○
19.0	58	247	16.0	6	○
20.0	60	254	16.0	6	○

Carbide reamers conditions (All models)

GR.1 非合金鋼鐵 Non-alloyed steel Vc.10-18 f.P170	GR.6 硬化鋼48~56HRC Hardened Steel Vc.4-6 f.P170
GR.2 低合金鋼鐵<24HRC Low-alloyed Steel Vc.10-18 f.P170	GR.9 鑄鐵 Cast Iron Vc.10-18 f.P170
GR.3 高合金鋼鐵<30HRC Hi-alloyed Steel Vc.8-15 f.P170	GR.10 鋁 Aluminium Vc.15-20 f.P170
GR.4 硬化鋼30~38HRC Hardened Steel Vc.5-10 f.P170	GR.11 銅 Copper Vc.15-25 f.P170
GR.5 硬化鋼38~48HRC Hardened Steel Vc.5-8 f.P170	